

Date May 26, 2006

Page 3 of 10

Listing of the claims:

1. (Currently Amended) An amphibious vehicle adapted for use on land and on water including a vehicle body, and at least one trim tab, for adjusting the trim of the amphibious vehicle when it is in a marine mode, connected to the vehicle body and movable relative to the vehicle body between a retracted position and any one of a range of operational positions, and a control system for controlling the position of ~~the or each~~ the at least one trim tab including detecting means for detecting at least one mode change event and tab actuation means for moving ~~the or each~~ the at least one trim tab relative to the vehicle body, the control system being adapted to automatically move ~~the or each~~ the at least one trim tab either into the retracted position or into any one of a range of operational positions according to the mode change event detected.

2. (Currently Amended) An amphibious vehicle according to claim 1, in which the mode change event, detectable by the detecting means, is a first mode change event indicative of an onset of transition into a marine mode from a terrestrial mode and the control system is adapted to move ~~the or each~~ the at least one tab into one of a range of operational positions on detection of the said first mode change event.

3. (Currently Amended) An amphibious vehicle according to claim 1, in which one of the first mode change event and a further mode change event, detectable by the detecting means, is a second mode change event indicative of an onset of transition into the terrestrial mode from a marine mode and the control system is adapted to automatically move ~~the or each~~ the at least one trim tab into the retracted position on detection of the said second mode change event.

4. (Currently Amended) An amphibious vehicle according to claim 2, in which the detecting means are capable of detecting selection of reverse propulsion in a marine mode, and the control system is adapted to automatically

Date May 26, 2006

Page 4 of 10

move ~~the or each~~ the at least one trim tab into the retracted position on detection of the selection of reverse propulsion.

5. (Currently Amended) An amphibious vehicle according to claim 4, in which the detecting means are capable of detecting a selection of forward propulsion when the vehicle is moving in the reverse direction in a marine mode, and the control system is adapted to automatically move ~~the or each~~ the at least one trim tab into any one of a range of operational positions on the selection of forward propulsion.

6. (Previously Presented) An amphibious vehicle according to claim 1, in which the control system includes means for signalling an operator on detection of at least one event.

7. (Previously Presented) An amphibious vehicle according to claim 1, in which the vehicle has a set of wheels for supporting the vehicle when it is in terrestrial mode, and the control system includes means for retracting the set of wheels on detection of a transition into marine mode and means for deploying the set of wheels on detection of a transition into terrestrial mode.

8. (Previously Presented) An amphibious vehicle according to claim 1, in which the vehicle has a jet drive for propelling the vehicle when it is in marine mode and a reversing bucket, and the control system includes means for deploying the reversing bucket on detection of selection of reverse propulsion.

9. (Cancelled.)

10. (Currently Amended) A method for controlling ~~a~~ an amphibious vehicle trim tab system ~~for an amphibious vehicle~~ including the steps of automatically detecting a mode change event, and on detection of the mode change event automatically moving ~~the or each~~ at least one trim tab either into ~~the~~ a

Date May 26, 2006

Page 5 of 10

retracted position or into any one of a range of operational positions according to the event detected.

11. (Original) A method according to claim 10, in which the mode change event detected is an onset of transition into a marine mode from a terrestrial mode.

12. (Original) A method according to claim 10, in which, the mode change event detected is an onset of transition into a terrestrial mode from a marine mode.

13. (New) An amphibious vehicle adapted for use on land and on water including a vehicle body, and at least one trim tab, for adjusting the trim of the amphibious vehicle when it is in a marine mode, connected to the vehicle body and movable relative to the vehicle body between a retracted position and any one of a range of operational positions, and a control system for controlling the position of the at least one trim tab including detecting means for detecting at least one mode change event and tab actuation means for moving the at least one trim tab relative to the vehicle body, the control system being adapted to automatically move the at least one trim tab either into the retracted position or into any one of a range of operational positions according to the mode change event detected;

wherein the mode change event, detectable by the detecting means, is a first mode change indicative of an onset of transition into a marine mode from a terrestrial mode and the control system is adapted to move the at least one tab into one of a range of operational positions on detection of the said first mode change event, and

wherein the detecting means are capable of detecting selection of reverse propulsion in a marine mode, and the control system is adapted to automatically move the at least one trim tab into the retracted position on detection of the selection of reverse propulsion.

Date May 26, 2006

Page 6 of 10

14. (New) An amphibious vehicle according to claim 13, in which the detecting means are capable of detecting a selection of forward propulsion when the vehicle is moving in the reverse direction in a marine mode, and the control system is adapted to automatically move the at least one trim tab into any of a range of operational positions on the selection of forward propulsion.

15. (New) An amphibious vehicle adapted for use on land and on water including a vehicle body, and at least one trim tab, for adjusting the trim of the amphibious vehicle when it is in a marine mode, connected to the vehicle body and movable relative to the vehicle body between a retracted position and any one of a range of operational positions, and a control system for controlling the position of the at least one trim tab including detecting means for detecting at least one mode change event and tab actuation means for moving the at least one trim tab relative to the vehicle body, the control system being adapted to automatically move the at least one trim tab either into the retracted position or into any one of a range of operational positions according to the mode change event detected,

wherein the vehicle has a jet drive for propelling the vehicle when it is in marine mode and a reversing bucket, and the control system includes means for deploying the reversing bucket on detection of selection of reverse propulsion.